CENTURY 21.

Radial

ID: 101440 tatiana@century21radial.com +573136509176





Warehouse for Sale

Medellín, Medellín, Antioquia



Sale: \$3,800,000,000.00

Property type: Warehouse

Stratum: 4
Land: 968.0 sqm
Building: 968.0 sqm
Bathrooms: 6
Stories: 2

Kitchen: KitchenetteCondition: Good

• Construction Quality: High

• environments: 6

No Pets Allowed

Solid door

Industrial zone

• 24x7 surveillance

Kitchenette

Disabled access

• Surveillance Service

• Trans. Close public

Paved Access

Truck access

Thermal isolation

Auxiliary bathroom

Nearby parks

Operation: Sale

• In commercial area

Local Interior

• Surveillance cameras

Shopping area

• Supermarkets / C.Ciales

Communal Bathrooms

Local Exterior

Property status

State: Good Age: 1974

Description

Warehouse for sale in the Chagualo sector, this sector presents a commercial-residential use. The construction has the characteristics of a commercial premises, the sector enjoys a good position and is considered strategic in the future for residential use, due to its proximity to the University of Antioquia, Route N, Hospital, clinics, ER, park north, botanical garden, planetarium, Inspections. Also the exit to the regional avenue, the South Highway.

The main Warehouse has reinforced floors for truck doors, Energy 110 and 220, Rear Warehouse Showcase, 6 bathrooms; Billing office and customer reception office Offices: on the second floor three offices, plus a bathroom. Two premises each with bathroom. Total area 968 meters, divided into 2 premises, one of 381.89 meters and the other of 586.17 meters and communicate internally to give the total area.

Location

Medellín, Medellín, Antioquia


References



Photo Catalog













Calle 20 Sur # 27-55,Medellín, Medellín, Antioquia
T 6045898666 | gerencia@century21radial.com | www.century21radial.com

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.