



Jose Eduardo Gil
Fernandez

CENTURY 21.
Sinergy

ID: 114156



Retail for Sale

Los Cerezos, Bogotá, Cundinamarca



Sale: \$658,000,000.00

Property type: Locale

Operation: Sale

- **Stratum:** 3
- **Land:** 90.0 sqm
- **Building:** 180.0 sqm
- **Front measurement:** 6.2 m
- **Background measurement:** 14.0 m
- **Bathrooms:** 2
- **Stories:** 2
- **Land:** regular
- **Condition:** Excellent
- **Construction Quality:** High

- | | | | |
|----------------------|------------------------|-----------------------|------------------------------|
| • No Pets Allowed | • Disabled access | • Tile / Marble Floor | • Shopping area |
| • Residential area | • Trans. Close public | • Nearby parks | • Supermarkets / C.Ciales |
| • Duplex | • Exterior parking bay | • Water tanks | • Public services |
| • In commercial area | • In residential area | • On secondary road | • Close to commercial sector |
| • Entrance ramp | | | |

Property status

State: Excellent

Age: 2002

Without Mortgage: Yes

Description

180m2 duplex premises for sale, excellent commercial showcase half a block from Calle 80 with an ideal location, lot area 90m2, the 1st level has: ceramic floor, open space, women's bathroom with door for the disabled, glass door and metal curtain door, glass window and metal curtain, the 2nd level has: ceramic floor, open space, men's bathroom, quite bright, various uses such as Dotational (health and education), IPS, commercial premises, offices, offices and educational institutions, close to a commercial and residential area, to Transmilenio, easy access roads on Calle 80, on Av. Cali. GREAT OPPORTUNITY.

Location



Los Cerezos, Bogotá, Cundinamarca

References



Photo Catalog









Carrera 7 Bis A # 123 - 79,Usaquén, Bogotá, Cundinamarca
T 6017953282 | mercadeo@c21sinergy.com | www.c21sinergy.com

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.