



**Moises Camilo Cadena
Zambrano**

CENTURY 21.
Galvis Inmobiliaria

ID: 124088



House for Sale

Apiay, Villavicencio, Meta



Sale: \$1,000,000,000.00

Property type: Home

Operation: Sale

- **Stratum:** 3
- **Land:** 1,127.0 sqm
- **Building:** 240.0 sqm
- **Bedrooms:** 5
- **Bathrooms:** 4
- **Half Baths:** 1
- **Parking lots:** 7
- **Stories:** 1
- **Kitchen:** Full kitchen
- **Land:** regular
- **Condition:** Very good
- **Land Use:** RESIDENCIAL
- **Floor number:** 1
- **Showers:** 5
- **Floor Type:** Porcelanato
- **environments:** 9

- | | | | |
|-----------------|-----------------------------|------------------------|---------------------------|
| • Pool | • Pets Allowed | • Disabled access | • Central air conditioner |
| • Bathtub | • Gas cylinder | • Uncovered parking | • Septic tank |
| • Security door | • Service Alcove | • Yard | • Integral kitchen |
| • Parkland | • Garaje(s) | • Hall of Alcoves | • Laundry area |
| • Country Zone | • Residential area | • Independent bathroom | • Dinning Room |
| • Water births | • Comfortable access routes | | |

Property status

State: Very good

Age: 1

Without Mortgage: Yes

Description

Country House for Sale, consists of a living room, dining room with access to the green areas and the pool, kitchen, laundry area, 1 main bedroom, 3 auxiliary bedrooms. all rooms with private bathroom and air conditioners, ample parking space, pool and jacuzzi, BBQ area, utility room. The property has an area of 1,127 m2 and a construction area of 240 m2.

Location

Apiay, Villavicencio, Meta

References









Photo Catalog













Calle 26 # 39-08 Edif. Taira Oficina 208,Villavicencio, Villavicencio, Meta
T 3204051683 | gerencia@c21galvisinmobiliaria.com | www.c21galvisinmobiliaria.com

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.