



**Maritza Serrate
Quintero**

CENTURY 21.

Elite

ID: 126749
maritza.serrate@c21elite.com.co
+573155890791



Building for Sale

Versalles, Cali, Valle del Cauca



Sale: \$1,060,000,000.00

Property type: Building

Operation: Sale

- **Stratum:** 5
- **Building:** 413.0 sqm
- **Bathrooms:** 5
- **Half Baths:** 5
- **Parking lots:** 4
- **Stories:** 3
- **Land:** irregular
- **Condition:** Good
- **Land Use:** COMERCIAL
- **Construction Quality:** High
- **Office area:** 4

- **Floor Type:** Laminado

- Central air conditioner
- Shopping area
- Conference Room

- Warehouse
- Supermarkets / C.Ciales
- Parking bays

- Smoke detector
- Public services
- Close to shopping center

- On main road
- All the services

Property status

State: Good

Age: 2016

Description

Edificio en venta al norte de la ciudad de Cali, ubicado en zona comercial frente a centro comercial La Pasarela, tenemos para usted el edificio ideal para su empresa, en la primera planta encontramos un Lobby ideal para recepción y zona de recibo, además de una amplia zona de bodegaje, en la segunda planta contamos con un showroom con pisos laminados, dotado de conexiones ,aire acondicionado central y una batería de baños, por ultimo en la tercera planta 4 amplias oficinas, zona de archivo, cuarto de rack y batería de baños, el edificio cuenta con zona de parqueo externo para 4 carros.

Location

Versalles, Cali, Valle del Cauca

References

















Photo Catalog











Calle 9 # 44 - 104 Local 06, Camino Real, Cali, Valle del Cauca
T 6028912797 | contacto@c21elite.com.co | www.c21elite.com.co

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.