Maria Teresa Osman Avila

CENTURY 21 Habitat

ID: 126750
maria.osman@century21habitat.com
+573133940247



Offices for Rent

Pasadena, Bogotá, Cundinamarca

Rent: $1,750,000.00

Maintenance incluido en el precio: $280,000

Property type: Offices **Operation:** Rent

- **Stratum**: 5
- **Land**: 31.0 sqm
- **Building**: 28.0 sqm
- **Bathrooms**: 1
- **Stories**: 1
- **Condition**: Excellent
- **Number of Elevators**: 2
- **Floor number**: 3
- **Construction Quality**: Middle - High
- **environments**: 1

- Elevator
- Visitors Parking
- Auxiliary dining room
- Goal / Surveillance
- Emergency stairs
- Close to shopping center
- Closed circuit TV
- Goal
- On main road
- Public services
- Fire Cabinet
- Communal Elevators
- Year of construction: 2015
- Deposit
- Surveillance Service
- Trans. Close public
- Close to commercial sector
- 24 * 7 private surveillanc
- Reception
- Type of lighting: Leed
- Common parking lots: 20
- Covered parking
- Cytophone
- Nearby parks
- Communal Bathrooms
- Located in building
- Comfortable access routes
- Terrace
- Electrical substation: SI

Property status
State: Excellent
Age: 2015
Without Mortgage: Yes

Description
Office located in a strategic sector, on Calle 106, a few blocks from access roads such as Avda Suba, Calle 100, Calle 116, with the ease of having the transmilenio station very close, Located in a Modern Building that offers a professional and dynamic environment. Enjoy the convenience of a terrace for you. and your collaborators can eat their meals and relax. Take advantage of this unique opportunity to boost your business. Contact us for more information and to schedule an appointment!

Location
Pasadena, Bogotá, Cundinamarca

References

Photo Catalog













terraza



Calle 140 # 7B-49,Cedritos, Bogotá, Cundinamarca
T 6013579793 | solicitudes@century21habitat.com | www.century21habitat.com

Property subject to availability.
Price subject to change without notice.
The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.