



Marlio Díaz Sánchez

CENTURY 21.

Galvis Inmobiliaria

ID: 131359



## House for Sale

Macarena, Villavicencio, Meta



Sale: \$500,000,000.00

Property type: Home

Operation: Sale

- **Stratum:** 3
- **Land:** 120.0 sqm
- **Building:** 320.0 sqm
- **Front measurement:** 6.0 m
- **Background measurement:** 20.0 m
- **Bedrooms:** 8
- **Bathrooms:** 4
- **Half Baths:** 2
- **Stories:** 3
- **Kitchen:** Full kitchen
- **Land:** regular
- **Condition:** Good
- **Construction Quality:** Middle

- **Showers:** 4
- **environments:** 3

- Pets Allowed
- Shopping area
- Nearby parks

- Balcony
- Residential area
- Cornerback

- Natural gas stove
- Colleges / Universities
- Close to shopping center

- Uncovered parking
- Trans. Close public

## Property status

State: Good

Age: 20

Without Mortgage: Yes

### Description

3-story corner house for investment, located on the main road of the La Macarena neighborhood, Retiro sector, which consists of on the first floor a 40-meter commercial premises with a bathroom, an apartment with a bathroom, on the second floor an apartment with dining room, 3 bedrooms, kitchen, 2 bathrooms, laundry room, on the 3rd floor an apartment with 2 bedrooms, dining room, a bathroom, laundry room, a large terrace for hammocks, the property is completely fenced and has All public services, three-phase electricity, permanent public transportation service and excellent access roads.


## Location






Macarena, Villavicencio, Meta

## References



## Photo Catalog





**Calle 26 # 39-08 Edif. Taira Oficina 208,Villavicencio, Villavicencio, Meta**  
**T 3204051683 | [gerencia@c21galvisinmobiliaria.com](mailto:gerencia@c21galvisinmobiliaria.com) | [www.c21galvisinmobiliaria.com](http://www.c21galvisinmobiliaria.com)**

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.