



Clara Inés Herrera
Suarez

CENTURY 21

Country

ID: 96277
cherrera@c21country.co
+573125211300



Offices for Rent

CAJICA VEREDA CALAHORRA, Chia - Cajica, Chía, Cundinamarca



Rent: \$1,600,000.00

Maintenance incluido en el precio: \$185,000

Property type: Offices

Operation: Rent

- **Stratum:** 5
- **Land:** 37.0 sqm
- **Building:** 37.0 sqm
- **Parking lots:** 1
- **Kitchen:** Kitchenette
- **Condition:** New
- **Number of Elevators:** 2
- **Floor number:** 4

- **Construction Quality:** Intelligent

- | | | | |
|-----------------|-------------------|------------------------|----------------------------|
| • Pets Allowed | • Disabled access | • Surveillance cameras | • Automatic Access Control |
| • Fire detector | • Covered parking | • Uncovered parking | |

Property status

State: New

Age: 2020

Without Mortgage: Yes

Description

Brand new office for rent of 37.50 m2, in the most important business complex in the savannah of Bogotá, Sabana Park, vehicular and pedestrian access, more than 700 private and visitor parking spaces, large gardens and reflecting pools, state-of-the-art elevators, modern lobby double height, large illuminated circulation areas, equipped auditoriums and business room, bathroom and toilet batteries, detection point and fire network, hydraulic point and drainage for office. Lounge terrace on deck. State-of-the-art security technology, full replacement power plant, modern façade, security glass with temperature control. Bioclimatic system.


Location




CAJICA VEREDA CALAHORRA, Chia - Cajica, Chía, Cundinamarca


References






Photo Catalog











Avenida Pradilla # 2 Este 71 C.C. Sabana Norte. Local 53,Chia, Chía, Cundinamarca
T 6018616101 | ebaquero@c21country.co | www.c21country.co

Property subject to availability.

Price subject to change without notice.

The sending of this file does not commit the parties to the subscription of any legal document. The information and measurements are approximate and must be confirmed with the relevant documentation.